



Land Rover Defender - gullwing window with an integrated sliding window

Experience the perfect blend of style and functionality designed specifically for the Land Rover Defender with our innovative gullwing window design. Offering the best of both worlds, this unique feature combines the iconic aesthetics of the Defender with practicality. While the gullwing window itself remains closed while driving, the seamlessly integrated sliding window within its folding section provides a delightful breeze on the go.

Specifications

Article number	EXS-DEF
Price	Price starts from €655,-
Dimensions	Width: 1055mm Height: 425mm
Suitable for	Land Rover - Land Rover Defender 90 - 110



Land Rover Defender - gullwing window with an integrated sliding window

Discover a truly unique combination that marries the distinctive charm of a gullwing window with the practical advantages of a sliding window. Our cutting-edge design seamlessly integrates a sliding window into the folding section of the iconic gullwing window, creating a remarkable synergy of form and function.

While the gullwing window, renowned for its sleek and striking appearance, remains securely closed while you're on the move, the integrated sliding window introduces a whole new level of convenience. Picture yourself cruising down the open road, with a gentle breeze gracefully flowing through the cabin, keeping you refreshed and invigorated.

This ingenious integration allows you to enjoy the benefits of ventilation without compromising safety or aesthetics. The sliding window, thoughtfully positioned within the foldable segment of the gullwing window, grants you the freedom to control the airflow as per your preference, adding a touch of comfort to your driving experience.

Immerse yourself in the elegance of our design, where aesthetics and practicality converge. The gullwing window with its undeniable visual appeal, combined with the seamless integration of the sliding window, elevates your journey to new heights. It's an embodiment of automotive sophistication, striking the perfect balance between style, functionality, and driving pleasure.

Embrace the future of automotive innovation with our groundbreaking gullwing window design. Allow it to enhance your driving experience, making every journey an exhilarating and well-ventilated adventure.

This gullwing window for your Land Rover Defender 90 or 110 has the same dimensions as the original side windows and can be installed quickly and easily.

When ordering windows for your Land Rover Defender, it is crucial to provide the correct manufacturing year for precise compatibility.

For Land Rover Defenders up to Model Year (MY) 2002, the window dimensions are 1055 mm x 425 mm with 4 x radius 50 mm. However, starting from MY2002, Land Rover made modifications to the



body design. The bottom of the window now has a radius of 70 mm, while the upper part remains unchanged with a radius of 50 mm. Therefore, for Land Rover Defenders manufactured after MY2002, the window dimensions are 1055 mm x 425 mm with 2 x radius 70 mm at the bottom.

To ensure the perfect fit, please provide the accurate manufacturing year when placing your order for Land Rover Defender windows.

Product Features:

- **Reliable sealing:** The gullwing window features an aluminum plate that is equipped with sturdy gas springs and lockable compression latches. This combination ensures a secure and perfect seal, protecting the contents of your Land Rover Defender's cargo area.
- **Durable powder coating:** Both the frame and hinged part of the gullwing window are meticulously finished with a high-quality black industrial powder coating (RAL 9005). This coating not only enhances the window's aesthetic appeal but also provides exceptional resistance to discoloration caused by various weather conditions.
- **Convenient installation:** We prioritize your convenience, which is why we deliver the gullwing window fully pre-assembled and ready for installation. With this hassle-free setup, you can quickly and easily install the gullwing window onto your Land Rover Defender, saving you time and effort.
- **Integrated sliding window:** The sliding window within the gullwing window measures 750 mm in width and 300 mm in height. It features 4 mm tempered safety glass, E43R and DOT certified. Available exclusively in privacy grey glass color, with a light transmission of 20% (80% tinted). Additionally, the sliding window can be equipped with the renowned Explore Glazing window guard.

This gullwing window can be enhanced with the option to add a drop down table Explore Overlander Light, a window guard on the sliding window and the Explore Gullwing storage box.

Installation

General

- The dimensions of the window fully correspond to the original window of your Land Rover Defender 90 or 110.
- No adjustments to the bodywork are necessary, which means that the original window can easily be replaced.
- For Land Rover Defenders up to Model Year (MY) 2002, the window dimensions are 1055 mm x 425 mm with 4 x radius 50 mm. However, starting from MY2002, Land Rover made modifications to the body design. The bottom of the window now has a radius of 70 mm, while the upper part remains unchanged with a radius of 50 mm. Therefore, for Land Rover Defenders manufactured after MY2002, the window dimensions are 1055 mm x 425 mm with 2 x radius 70 mm at the bottom.
- Easy and quick to assemble.

The gullwing window is mounted with M4*16 stainless steel mounting screws and sealed with adhesive.

For an additional charge, the stainless steel mounting screws can be supplied black powder coated. This option is offered to you as standard.

A mounting set will be offered with your request and consists of:

- drill 4.2 mm
- cartridge of Dowsil 791 Silicone Weatherproofing
- brush
- rubber to remove the excess sealant

Check out our YouTube channel for installation videos:

[@ExploreGlazing](#)



It is important that the Explore Glazing products are assembled correctly and safely. Careless assembly can lead to accidents and serious damage and / or injury to you or others. If you have no technical experience or are not familiar with the general assembly instructions, we recommend that you have our products assembled by a professional company.

Images

