



## Add-on: drop down table Explore Overlander Light

The Explore Overlander Light provides convenience during camping, requires no modifications to your vehicle, is durable, and offers flexibility in transporting equipment. It is a valuable addition for adventurers with your Land Rover Discovery I.

### **Specifications**

Article number	OVL-DISCO-1
Price	Price starts from €245,-
Dimensions	Width: 578mm Height: 485mm
Suitable for	Land Rover - Land Rover Discovery 1 - 3 door Land Rover - Land Rover Discovery 1 - 5 door



## Add-on: drop down table Explore Overlander Light

The Explore Overlander Light is an optional addition for the Explore Glazing gullwing window on your Land Rover Discovery I 3 or 5-door, and can also be installed on the Explore Glazing sliding window.

It combines a folding table and window protection, offering the capability to attach expedition equipment to your vehicle.

The Explore Overlander Light is designed specifically for Explore Glazing windows, with hinges and locks fully integrated into the window frame. This ensures no damage to the vehicle bodywork from mounting holes, which can lead to untreated rust formation in cavities.

It seamlessly integrates with the Explore Glazing window, preserving the characteristic design of your car.

#### **Product Features:**

- Made from a 5 mm aluminum plate, finished with the same high-quality industrial black powder coating (RAL 9005) as other Explore Glazing windows.
- Removable and adjustable straps with stainless steel hooks allow for flexible opening angles or complete folding for maximum access to your car.
- With a low mounting height of only 16 mm on the window, the Overlander Light offers additional equipment mounting options without obstructing rear visibility.
- Equipped with attachment points for lashing straps and airline rails (L-track).
- The Overlander Light features a hole pattern that matches the design of Explore Glazing window guards, ensuring a cohesive appearance and allowing ample daylight into your car.

#### The Explore Overlander can be further expanded with:

- Airline rails, own extrusion profile and provided with the same industrial powder coating as our other products (RAL 9005)
  - Set of 2 pieces
  - Material specification EN AW-6063 T66
  - Dimensions 28 x 11 mm (W/H)
  - Weight 500 grams/meter



- Length: 412 mm (or 500 by 3-door version)
- Holes with a diameter of 20 mm, intermediate holes of 25 mm for mounting on the Explore Overlander (stainless steel M5x8 included)
- Explore Overlander Pack, consisting:
  - 2 x 25 mm lashing strap length 2.5 meters with stainless steel clamping buckle
  - 4 x single stud airline fitting, black plastic housing, 500 daN
  - 4 x butterfly fitting M8x25 galvanized steel
  - 4 x butterfly fitting M8x60 galvanized steel
  - 4 x lockable M8 safety star handle black plastic
  - 2 x collapsible key
  - rubber cover for airline rails



### Installation

This product for your Land Rover Discovery I 3- or 5-door is offered as a do-it-yourself package and consists of the following parts:

- Aluminium plate
- Hinges, zinc die-casting, black coated, with stainless steel parts
- Indexing plungers (locks), zinc die-casting, black-coated, with stainless steel parts and stainless steel closing brackets
- Mounting straps with stainless steel hooks

You need a mounting set, which consists of:

- drill 4.2
- drill 5.0
- tap M5
- Torx bit (tamper-resistant)

The mounting set is offered as standard with your quotation request.

It is important that the Explore Glazing products are assembled correctly and safely. Careless assembly can lead to accidents and serious damage and / or injury to you or others. If you have no technical experience or are not familiar with the general assembly instructions, we recommend that you have our products assembled by a professional company.

Check out our Youtube channel for installation videos or download our installation guide.

@ExploreGlazing



# Images





Page 5 - Explore Glazing De Standerd 21 - 3774 SC - Kootwijkerbroek - The Netherlands Chamber of Commerce 32099982