



Fenêtre gullwing en verre

Elevate your Land Rover Defender 90 or 110 with a touch of elegance by selecting the glass gullwing window by Explore Glazing. This feature offers not only a sophisticated aesthetic upgrade but also ensures effortless access to your cargo space.

Spécifications

Numéro d'article	EXG-DEF-90-110
Prix	Le prix commence à partir de 370,00 €
Dimensions	Width: 1055mm Height: 425mm
Convient pour	Land Rover - Land Rover Defender 90 - 110

Fenêtre gullwing en verre

Infuse your Land Rover Defender with a unique blend of style and functionality by installing our glass gullwing window. It's the perfect enhancement for those who desire an optimal balance of elegance and practicality in their off-road explorations and adventures.

Product Features

- **Dimensions:** custom-fitted to match the original side windows of the Land Rover Defender 90 or 110.
- **Construction:**
 - 5mm tempered safety glass plate.
 - Dual sturdy gas springs for seamless opening.
 - Pair of lockable compression latches, ensuring security and an impeccable seal.
 - Offers extensive dust and waterproof protection.
- **Finish:** Top-quality aluminium window frame, finished with industrial black powder coating (RAL 9005) to guard against weather-induced discoloration.
- **Glass Options:** Available in dark grey with 20% light transmission (80% tinted) or parsol green with 57% light transmission (80% tinted).
All glass is tempered safety glass, ECE 43R and DOT certified.
- **Window Accessories:** Enhance your gullwing window with additional accessories like a window guard or an Explore Overlander Light.

Your gullwing window comes fully assembled and is ready for immediate installation.

This modification is sure to make your Land Rover Defender stand out while blending unparalleled style with function, making it a prime choice for enthusiasts seeking to elevate their driving experience.

Order by model year

The gullwing window for your Land Rover Defender 90 or 110 has the same dimensions as the original side windows and can be installed quickly and easily.



When ordering windows for your Land Rover Defender, it is crucial to provide the correct manufacturing year for precise compatibility.

For Land Rover Defenders up to Model Year (MY) 2002, the window dimensions are 1055 mm x 425 mm with 4 x radius 50 mm. However, starting from MY2002, Land Rover made modifications to the body design. The bottom of the window now has a radius of 70 mm, while the upper part remains unchanged with a radius of 50 mm. Therefore, for Land Rover Defenders manufactured after MY2002, the window dimensions are 1055 mm x 425 mm with 2 x radius 70 mm at the bottom.

To ensure the perfect fit, please provide the accurate manufacturing year when placing your order for Land Rover Defender windows.

Installation

General

- The window dimensions seamlessly align with the original window specifications of your Land Rover Defender 90 or 110.
- There is no need for any modifications to the bodywork, allowing for an effortless replacement of the original window.
- For those with Land Rover Defenders up to Model Year (MY) 2002, expect window dimensions of 1055 mm x 425 mm with 4 x radius 50 mm.
- For models post-MY2002, adjustments were made to the body design, with the window dimensions being the same but with 2 x radius 70 mm at the bottom.
- Assembly is straightforward and quick.

The gullwing window is mounted with M4*16 stainless steel mounting screws and sealed with adhesive.

Additional Services:

For an added fee, black powder-coated stainless steel mounting screws can be provided, a standard option offered to you. A mounting set is proposed with your order and includes:

- 4.2 mm drill
- Cartridge of Dowsil 791 Silicone Weatherproofing
- Brush
- Rubber to wipe away excess sealant

Check out our YouTube channel for installation videos:

[@ExploreGlazing](#)

It is important that the Explore Glazing products are assembled correctly and safely. Careless assembly can lead to accidents and serious damage and / or injury to you or others. If you have no technical experience or are not familiar with the general assembly instructions, we



recommend that you have our products assembled by a professional company.

Images

