



Tail door aluminium door trim with internal Molle system - swing out type - left side

Enhance the storage capacity of your Toyota Troop Carrier's left rear door (swing-out type) by replacing the door trim with the Explore Glazing full aluminum panel, complete with an integrated Molle system. Embrace the opportunity to create additional storage options while maintaining optimal space utilization.

Spécifications

Numéro d'article	TAIL-PANEL-LHS-TOY-TROOP
Prix	Le prix commence à partir de 130,00 €
Dimensions	Width: 393mm Height: 409mm
Convient pour	Toyota - Toyota Land Cruiser Series 78 Troop Carrier Toyota - Toyota Land Cruiser 70 Series Toyota - Toyota Land Cruiser Series 75 Troop Carrier



Tail door aluminium door trim with internal Molle system - swing out type - left side

To enhance the functionality of the left rear door of your Toyota Troop Carrier, we offer a simple and effective solution. Replace the existing inner door trim with our specially designed aluminum panel, perfectly matching the size and shape of the original trim.

The aluminum panel features a mounted Molle panel that allows easy access to the inside handle (door handle). Utilize the optimized space on the door panel to attach bags, pouches, or kitchen tools using the renowned PALS webbing system.

Crafted from durable 3 mm thick aluminum, the internal Molle panel shares the same high-quality industrial powder coating as our windows and other products. It is equipped with the PALS webbing pattern, strategically designed with \varnothing 4.2 mm holes between the pattern to accommodate various systems, including Quick Fist.

Upgrade your Toyota Troop Carrier's left rear door with this practical solution, enhancing both storage options and accessibility.



Installation

The replacement aluminum door trim is specifically designed to fit the left rear door of the Troop Carrier. It is securely mounted on the tail door using blind rivet nuts. Please note that a rivet gun and rivet nuts are not included in the package.

Rest assured, all the necessary components for installation are provided. The package includes stainless steel mounting screws, cover caps, and washers to ensure a secure and seamless fit.

To complete the installation process, you will need a mounting set, which includes:

- 4.2 mm drill
- 5.0 mm drill
- M5 tap
- tamper-resistant Torx bit.

The mounting set is offered as standard in the quotation.

For detailed step-by-step instructions, please download our comprehensive installation guide. It will provide you with all the necessary information to successfully install the aluminum door trim.



Images